

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	118	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
L2	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third near4 multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
L3	71	@ad<"20030115" and (RFID (radio near2 frequency)) and (third adj waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:29
L4	14	@ad<"20030115" and RFID.bsum. and (waveform near5 cod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:30
L5	78	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 ("2" two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:55
L6	0	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near3 any near3 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
L7	90	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01

L8	13	7 not 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:02
L9	7	@ad< "20030115" and RFID.bsum. and (any near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:04
L11	2	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:09
L12	2383	@ad< "20030115" and ((waveform cod\$3) near4 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
L13	173	@ad< "20030115" and ((waveform cod\$3) near4 represent\$3 near4 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
L14	159	@ad< "20030115" and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 succession) not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
L15	0	14 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
L16	0	@ad< "20030115" and (third near (waveform cod \$3) near3 (represent\$3 indicat\$3) near3 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13

L17	1	@ad<"20030115" and (third near (waveform cod \$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
L18	142	@ad<"20030115" and ((represent\$3 indicat\$3) near3 (succession near2 (one "1")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:15
L19	618	@ad<"20030115" and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 (succession continuous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L20	0	@ad<"20030115" and (third near2 (waveform cod\$3) near3 (represent \$3 indicat\$3) near3 (succession continuous \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L21	0	19 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
L27	41	@ad<"20030115" and (third near2 (waveform cod\$3) near5 (succession continuous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:22
L28	0	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near4 any near4 (meaning representation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:26
L29	32	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near4 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:44

L30	0	@ad< "20030115" and RFID.bsum. and (succession near ("1" one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:48
L31	1	@ad< "20030115" and RFID.bsum. and (line adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:49
L32	1	("7391329").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 16:49
L33	44	("20020167405"   "20030174049"   "20050099269"   "20050099270"   "20060261952"   "20060261953"   "20060261954"   "20060261956"   "3938316"   "4454483"   "5117756"   "5438694"   "5565858"   "5583819"   "5649295"   "5649296"   "5686902"   "5701127"   "5751220"   "5867535"   "5912632"   "5940006"   "5952922"   "6023198"   "6043748"   "6046683"   "6064320"   "6127928"   "6130623"   "6243013"   "6259991"   "6356161"   "6388532"   "6404325"   "6472943"   "6639509"   "6664860"   "6784789"   "6917291"   "7026935"   "7120550"   "7253719"   "7283037"   "7304579"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
L34	32	33 and @ad< "20030115"	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
L35	8	34 and waveform	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:52

L36	299	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) same "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
L37	173	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) with "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
L38	2205	@ad<"20030115" and "341"/\$.ccls. and ((waveform cod\$3) near7 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
L39	215	@ad<"20030115" and "341"/\$.ccls. and ((waveform cod\$3) near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
L40	20	@ad<"20030115" and "341"/\$.ccls. and (waveform near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:59
L41	1	@ad<"20030115" and "341"/\$.ccls. and (waveform near3 represent\$5 near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:03
L42	12	@ad<"20030115" and "341"/\$.ccls. and (waveform near5 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:04
L43	0	@ad<"20030115" and RFID.bsum. and (waveform near5 any near4 (represent\$5 meaning indicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:20

S1	1	10/519858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:54
S2	26	@ad<"20030115" and (RFID and waveform). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S3	1	@ad<"20030115" and (RFID and (periodic with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S4	103	@ad<"20030115" and (RFID and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:01
S5	97	@ad<"20030115" and (RFID.bsum. and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S6	1	@ad<"20030115" and (RFID and (different with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S7	1	(US-20020152044-\$).did.	US-PGPUB	OR	ON	2007/03/09 15:09
S9	1	S7 and (RFID same clock)	US-PGPUB	OR	ON	2007/03/09 15:10
S10	1	S7 and (synchroniz\$5 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59
S11	0	S7 and (clock near2 information)	US-PGPUB	OR	ON	2007/03/09 15:12
S12	1	S7 and (clock with tag)	US-PGPUB	OR	ON	2007/03/09 15:13
S13	1	S7 and (receiv\$3 with (clock tim\$3))	US-PGPUB	OR	ON	2007/03/09 15:13
S14	1	S7 and (generat\$3 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59

S15	796	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform with design\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S16	19	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform with design\$3 with periodic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:04
S17	25	@ad< "20030115" and (RFID (radio near2 frequency)) and (representation with any with waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:06
S21	17	@ad< "20030115" and (RFID (radio near2 frequency)) and ((waveform near3 (one zero)) same ((cycle duty near time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:10
S22	0	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform near3 (one zero) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:11
S23	1	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:12
S24	91	@ad< "20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S25	0	@ad< "20030115" and (RFID (radio near2 frequency)) and (((zero one) near3 design near2 any) same waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:28

S26	94	@ad<"20030115" and (RFID (radio near2 frequency)) and (design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S27	2	@ad<"20030115" and (RFID (radio near2 frequency)) and ((design near2 waveform) same any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S28	1	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:29
S29	118	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 represent\$5 near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S31	4	S29 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30

7/10/2008 5:53:39 PM

C:\Documents and Settings\zlu\My Documents\EAST\Workspaces\10519858.wsp